

Compatible QSFP Transimpedance Amplifiers





Compatible QSFP Transimpedance Amplifiers



fjscaler Inc.

The FJS1001 is a dual-channel, 64GBd differential linear transimpedance amplifier (TIA). The TIA includes a variable gain amplifier (VGA) and an output buffer. Each channel can be controlled

[Contact Us](#)

Ref. Des. Maximizing Transimpedance Bandwidth for LIDAR & ToF

The OPA858 is a wideband, low-noise, operational amplifier with CMOS inputs for wideband transimpedance and voltage amplifier applications. When the device is configured as a

[Contact Us](#)



Credo Introduces Quad Channel Transimpedance

Credo Technology, announced the availability of Teal 200, a 4 x 50Gbps TIA for QSFP56, QSFP-DD and OSFP optical transceivers and active


[Contact Us](#)



Transimpedance Amplifiers - Mouser

Mouser is an authorized distributor for transimpedance amplifier manufacturers including Analog Devices, Texas Instruments & more. Please view our selection of transimpedance amplifiers below.

[Contact Us](#)



Credo Introduces Quad Channel Transimpedance

Impressive Low-Power TIA, combined with Credo DSPs and Laser Drivers, creates a complete optical chipset solution for Hyperscale Data Centers

[Contact Us](#)

Specification - QSFP-DD

August 7, 2020 - QSFP-DD Hardware Specification for QSFP DOUBLE DENSITY 8X PLUGGABLE TRANSCEIVER - Rev 5.1 July 11, 2019 - QSFP-DD Hardware Specification for QSFP

[Contact Us](#)



What you need to know about transimpedance amplifiers part 1

What You Need to Know about Transimpedance Amplifiers - Part 1 Samir Cherian
Transimpedance amplifiers (TIAs) act as front-end amplifiers for optical sensors such as photodiodes, converting the

[Contact Us](#)





Quad Channel Transimpedance Amplifier , Credo

SAN JOSE, Calif., Sept. 13, 2023 -- The Teal 200 from Credo is a 4 x 50 Gbps Transimpedance Amplifier (TIA) for QSFP56, QSFP-DD, and OSFP optical

[Contact Us](#)



Differences Between QSFP-DD and QSFP+ / QSFP28 /


Backward Compatibility Equipment equipped with QSFP-DD ports supports backward compatibility with existing QSFP+, QSFP28, and QSFP56

[Contact Us](#)

Product Selector: Optical Transimpedance Amplifiers , Renesas

Use our parametric selector to compare the Renesas Product Selector: Optical Transimpedance Amplifiers family of devices by key specifications. Filter and sort options to quickly identify the right

[Contact Us](#)



QSFP-DD Dual Pluggable EDFA Booster amplifier for DWDM

This QSFP-DD dual pluggable EDFA booster amplifier offers a optical input range and provides a +20dB nominal gain to a C-Band DWDM link.

[Contact Us](#)



2.7Gbps SFP Transimpedance Amplifiers with RSSI

General Description The MAX3744/MAX3745 transimpedance amplifiers provide a compact, low-power solution for communication up to 2.7Gbps. They feature 330nA input-referred noise at 2.1GHz

[Contact Us](#)



AD8015AR datasheet

This is a wide bandwidth, single supply transimpedance amplifier optimized for use in a fiber optic receiver circuit. It is a complete, single chip solution for converting photodiode current into a differential

[Contact Us](#)

TGA4864 Qorvo Amplifier, Transimpedance

Part Number: TGA4864 Frequency Min: 24 GHz
Frequency Max: 32 GHz Gain: 26 dB Differential
Transimpedance Gain: 250 Ohms Differential
Output Vpp: 200 mV Equivalent Input Noise: 24 dBA

[Contact Us](#)



Transimpedance Amplifiers Selection Guide: Types, Features

Transimpedance amplifiers (TIAs) are used to convert an input current into an output voltage. Applications Transimpedance amplifiers are useful in many important applications, including:

[Contact Us](#)



OPA855/OPA855-Q1 Transimpedance Amplifiers

Texas Instruments OPA855 Decompensated Transimpedance Amplifiers provide a wideband and low-noise with bipolar inputs ideal for wideband transimpedance and voltage amplifier

[Contact Us](#)



Transimpedance Amplifiers (TIA) , Analog Devices


Analog Devices' optical and logarithmic transimpedance amplifiers (TIAs) offer high performance, single-chip solutions for precise photodiode current-to-voltage

[Contact Us](#)

FEMTO®

The DLPCA-200 offers variable transimpedance gain from 10³ to 10¹¹ V/A allowing the sensitive measurement of currents in the sub-pico to milli amp range. Its switchable AC/DC coupling, 10 Hz

[Contact Us](#)



QSFP+/QSFP28 Loopback Manufacturer

Since the loopback module does not contain laser diodes, photodiodes, laser driver or transimpedance amplifier chips, etc., it provides an economical way to exercise QSFP/QSFP+ ports during R& D

[Contact Us](#)



Transceivers Explained: SFP vs SFP+ vs SFP28 vs QSFP+ vs QSFP28

ProLabs delivers high-quality, rigorously tested, and fully compatible optical solutions. Understanding the differences between SFP, SFP+, SFP28, QSFP+, and QSFP28 is key to building

[Contact Us](#)



All About QSFP Cables, Connectors, and More

QSFP Active Copper Cable Assemblies The last type of QSFP is an ACC (Active Copper Cable) Assembly. ACCs have integrated signal conditioning and amplifiers to overcome copper cable

[Contact Us](#)

Optical Amplifiers Accelink , Lighting Your Dreams

Accelink pluggable amplifiers are a series of EDFAs that support hot plug and are compatible with various pluggable small form factor standards, such as XFP/CFP/CFP2/QSFP28/QSFP-DD/OSFP.

[Contact Us](#)



Specification - QSFP-DD

March 11, 2022 - QSFP-DD/QSFP-DD800/QSFP112 Hardware Specification for QSFP DOUBLE DENSITY 8X AND QSFP 4X PLUGGABLE TRANSCEIVERS - Rev 6.2 November 2, 2021


[Contact Us](#)



Transimpedance Amplifiers - Mouser

Mouser offers inventory, pricing, & datasheets for Transimpedance Amplifiers Transimpedance Amplifiers.

[Contact Us](#)



FEMTO®

FEMTO amplifiers and photoreceivers are supplied with either a BNC or SMA socket as standard, depending on the model. We are happy to fit other plugs and sockets according to your

[Contact Us](#)

Contact Us

For datasheets, pricing, or custom fiber access solutions, please visit:
<https://frindel.es>