

Loop detection in core switches





Overview

The mechanism immediately generates a log when a loop occurs so that you are promptly notified to adjust network connections and configurations. Network loops occur when there are multiple paths between two points in a network, leading to data continuously circulating and potentially causing significant issues such as performance degradation, unexpected port blockages, complete network outages, and device crashes. Loop detection on 5120-SI switches Hi! Recently we had a loop in one of our VLANs in our HP based network (10500 core-switches, 5120-SI access switches). Hi Janrovner, Feature is called "persistent-learning" on Juniper, essentially identical. Now at most of our sites we use Extreme, which has a handy feature called ELRP Extreme Loop Recovery Protocol, despite the name, this mechanism just detects loops, in the logs we can see, ok. It continuously monitors traffic to detect scenarios such as a port receiving its own transmitted packets due to miswiring, or a direct link loop formed when two interfaces—either on the same device or.



Loop detection in core switches



Solved: Method for detecting loops ..

Physically you can look at the switch LED's. They'll typically be flashing at the same time. On the CLI you'll likely see higher than normal CPU util. The same mac addresses showing up on

[Contact Us](#)

Google

Checking your browser before accessing undefined Click here if you are not automatically redirected after 5 seconds. Checking your browser - reCAPTCHA



[Contact Us](#)



Loop detection and handling on EX4200 / EX3200 on trunk ports


Similar functionality we use on Edge-Core switches, this is called Sticky MAC and prevents re-learning MAC on the wrong port. In both cases, we know that a loop occurred and know affected MACs,

[Contact Us](#)

Best practice to prevent network loops with Omada SDN

This paper describes the recommended configuration on Omada SDN solution to prevent network loops and broadcast storms.

[Contact Us](#)



Support

With loop detection enabled, the device sends loop detection frames at the loopback detection interval. A shorter interval offers more sensitive detection but consumes more resources.

[Contact Us](#)



Solved: RUCKUS Forums

Dears, I'm running into a problem where i have a setup of several access cabinets connected via a star topology to core switch, access switches are icx 7150 and 7250 and core is 2

[Contact Us](#)



What Is Loop Detection On A Network Switch?

What Is Loop Detection On A Network Switch? Loop detection on a network switch is an essential feature that plays a critical role in maintaining network efficiency. In this informative video, we

[Contact Us](#)



Layer 2 Configuration Guide, Cisco IOS XE Amsterdam

Configuring Loop Detection Guard Layer 2
Configuration Guide, Cisco IOS XE Amsterdam
17.2.x (Catalyst 9600 Switches)

[Contact Us](#)



Understand and Mitigate Network Loops (STP)

Focus on areas with third-party switches or devices that make their own mesh networks, like Sonos, as they often have misconfigurations leading to loops.

[Contact Us](#)

Preventing Network Loops! A Feature You Need to be

Loop detection guard is a new way to prevent loops with both STP and non-STP enabled ports or unmanaged switches. While legacy solutions can

[Contact Us](#)



loop detect message in nexus

Hi, One of our networks currently has a nexus 5548 acting as core. There are 2248/2232 connected to this as fex members. There is also another nexus 5K connected as edge switch to this

[Contact Us](#)



Configuring Loop Detection Guard

While Spanning Tree Protocol (STP) is normally the protocol that is configured for this purpose (to prevent network loops), loop detection guard is suited to situations where there may be unmanaged

[Contact Us](#)



Solved: RUCKUS Forums


Shams described the types of loop detection correctly. Loose mode can be a bit tricky since it will disable ports if a control packet is looped back anywhere on the same vlan.

[Contact Us](#)

What is Loopback Detection in Switches and How It Works

Learn what loopback detection is, how it works in switches, and how it differs from Spanning Tree Protocol. Discover industrial solutions to prevent network loops.

[Contact Us](#)



Enable Loopback Detection on a Switch through CLI

LBD works by broadcasting periodic loopback detection packets. When the switch receives its own LBD packet it means that a loop is detected.

[Contact Us](#)



Solved: RUCKUS Forums

Dears, I'm running into a problem where i have a setup of several access cabinets connected via a star topology to core switch, access switches are icx 7150 and 7250 and core is 2 stacked 7650.
We

[Contact Us](#)



Layer 2 Configuration Guide, Cisco IOS XE 17.18.x

This chapter describes how to configure loop detection guard on the Cisco Catalyst Switches.

[Contact Us](#)

A Novel Passive L1/L2 Edge Loop Detection Observing MAC

A L1 and/or L2 loop in a network may cause congestion and incur communication failures. It is, therefore, important to quickly and accurately detect a loop and

[Contact Us](#)



Layer 2 Configuration Guide, Cisco IOS XE 17.14.x (Catalyst 9200 Switches)

This chapter describes how to configure loop detection guard on the Cisco Catalyst Switches.

[Contact Us](#)





Loop detection on 5120-SI switches , Comware

Recently we had a loop in one of our VLANs in our HP based network (10500 core-switches, 5120-SI access switches). Someone connected an unmanaged switch to two access ports of the same 5120

[Contact Us](#)



Configuring Loop Detection Guard

Restrictions for Loop Detection Guard Loop detection guard can be configured only on Layer 2 physical interfaces. Layer 3 ports and virtual interfaces, such as port channels, switch virtual interfaces (SVIs),

[Contact Us](#)

Fix Network Loops: Step-by-Step Guide

Introduction A network loop occurs when redundant connections between switches cause data packets to endlessly circulate, suitable to broadcast storms, high CPU

[Contact Us](#)



Layer 2 Configuration Guide, Cisco IOS XE 17.15.x

This chapter describes how to configure loop detection guard on the Cisco Catalyst Switches.

[Contact Us](#)



A Novel Passive L1/L2 Edge Loop Detection Observing MAC

A L1 and/or L2 loop in a network may cause congestion and incur communication failures. It is, therefore, important to quickly and accurately detect a loop and locate its origin in order to eliminate

[Contact Us](#)



How to configure the non-STP loopback detection on

On Edgecore switches, non-STP loopback detection is another function to prevent the loop issue and it can detect the loop for each VLAN.

[Contact Us](#)

Contact Us

For datasheets, pricing, or custom fiber access solutions, please visit:
<https://frindel.es>