

# **SN type connector socket**





## Overview

---

SN 441011, until 2019 SEV 1011, is the Swiss national standard for AC power plug for domestic use and similar purposes. The SN (Senko Nano) is a genuine push-pull-boot duplex plug connector manufactured using 1. By type: Click on an appropriate item on the "Select the class" on the left. Designed and optimized for operators the chance to densify their existing legacy infrastructure whilst at the same time providing an upgrade path access is limited. A gang-clip can be added to four individual SN® connectors allowing them to be patched simultaneously to either.



## SN type connector socket

---

### New Swiss standard series SN441011

As of March 1, 2022, all products must comply with the new SN 441011 standard. As a result, new standardised IP55 sockets are increasingly coming onto the market,

[Contact Us](#)



### 250V 10A IEC320 C13 Female Panel Mount AC Power supply Socket

Female Power Connector Panel Mount Socket  
Type: IEC320 C13 Type Of Panel Mount  
Connector: Female Number of Pins: 3 Operating  
Voltage Rating: 230VAC Maximum Current  
Rating: 10A Colour:

[Contact Us](#)




### SN STANDARD CONNECTOR

The SN® Standard connector is suitable for termination to either 1.6 mm or 2.0 mm round cable that incorporates a ruggedized jacket and internal strain relief.

[Contact Us](#)

### Connector identification online

By looks: Click the "Quick-pick" tab at the top left. Scroll through the pictures. Click on the one that looks like yours. By type: Click on an appropriate item on the "Select the class" on the left. Continue



**SN 441011 plugs SEV 1011 (Switzerland)**

The plug fits all sockets, and the socket accepts T11 and Euoplugs. It was first standardised in 1952, and the current version is SEV 6533-1:2009 for the socket

[Contact Us](#)



**N Plugs & Sockets for Cables**

N-Type Connectors and Sockets for Coaxial Cables - High Quality Connections N connectors are among the most commonly used connectors in radio technology, they are available for practically all

[Contact Us](#)



**SNG491000-3060\_Jan2021\_en\_Brochure**

The Swiss SN 441011 standard series "Plugs and Socket-outlets for Household Use and Similar Purposes" has been valid since 1 March 2019 and replaces the previous standard SN SEV 1011. The

[Contact Us](#)





**IEC 60906-1**

IEC 60906-1 plugs and socket-outlets are rated 16 A, 250 V AC and are intended for use on distribution systems having nominal voltages between 200 V and 250 V AC. IEC 60906-1 defines both 3-pin

[Contact Us](#)



**Arteor Advance**

This preterminated hdmi socket transmits high-definition digital audio/video with hdmi 2.0 type-A performance. Its 2-module rose finish integrates in Arteor Advance installations. Supplied with 15cm

[Contact Us](#)

**3X DIY 24Pin USB-C USB 3.1 Type C Female Socket Connector Smt Type**

Type C Female Socket Connector USB 3.1 with PCB board 24P female connector adapter plate  
3X DIY 24Pin USB-C USB 3.1 Type C Female Socket Connector Smt Type with Pc Board  
Description

[Contact Us](#)



**Understanding the SN® Connector: Fiber Optic**

In today's telecommunications world, the need for more data transmission speed has necessitated better connection capabilities. Among these


[Contact Us](#)



### **TFKC 2,5/ 4-ST-5,08 BD:4-1SO**

PCB TWIN plug, nominal cross section: 2.5 mm 2, color: green, nominal current: 12 A, rated voltage (III/2): 320 V, contact surface: Sn, contact connection type: Socket, number of rows: 1, number of

[Contact Us](#)



### **UTSX7JC1813P , Souriau Sunbank by Eaton Circular Connector, 13**

Buy Souriau Sunbank by Eaton Circular Connector, 13 Contacts, Panel Nut, Socket, Male, IP68, IP69K, UTSX Series UTSX7JC1813P or other Industrial Circular Connectors online from RS for next day

[Contact Us](#)

### **xiwai 5pcs USB Type-A Female DIY OEM Socket**

5pcs USB Type-A Female DIY OEM Socket Connector with Panel Mount USB 2.0 480Mbps Data Solder Type Replacement. Panel-Mounting: A great solution to



[Contact Us](#)



### **Specification for SN(TM) Transceiver Receptac**

This specification defines the fiber optic connector interface, a single position plug connector set of plug/adaptor configuration that is characterized by two 1.25 mm nominal diameter ferrules.


[Contact Us](#)



## China 7pin Metal Trailer Socket N Type Towing Connector For Sale

Discover premium 7pin metal trailer socket n type towing connector for sale products directly from China's leading manufacturers,suppliers,distributors & dealers.Explore competitive prices and stay

[Contact Us](#)



OM3 Fiber Patch Cable Family



## SN 441011

SN 441011 Type J: The 10 ampere SN 441011 type 13 socket (here: a triple socket) and type 12 plug SN 441011, until 2019 SEV 1011, is the Swiss national

[Contact Us](#)

## Search results for: SN Pin & Socket Connectors - Mouser

Applied Filters: Connectors Pin & Socket Connectors Reset All Please modify your search so that it will return results. To use the less than or greater than function, please select a value first.

[Contact Us](#)



## AC power plugs and sockets

Electrical plugs and sockets differ from one another in voltage and current rating, shape, size, and connector type. Different standard systems of plugs and sockets

[Contact Us](#)





### **SN® Connector , FO Connector**

The SN (Senko Nano) is a genuine push-pull-boot duplex plug connector manufactured using 1.25 mm fully-ceramic ferrule technology. It belongs to the category of Very Small Form Factor (VSFF) plug

[Contact Us](#)



### **PXM7011/03S/ST/0507/SN , Bulgin Circular Connector, 3 Contacts,**

Bulgin Circular Connector, 3 Contacts, Cable, Socket, Female, IP68, PXM7011 Series

[Contact Us](#)



### **(Original Connecotr) B2(5.0)B-XASK-2(LF)(SN) XA HEADER (TOP)**

Key attributes Type stanard Pin or Socket  
standard Packaging Box Supplier Type sales/OEM  
Application standard Model Number B2 (5.0)B-XASK-2 (LF) (SN) Description stanard Place of Origin

[Contact Us](#)



### **SN® Connector , FO Connector**

The SN (Senko Nano) is a genuine push-pull-boot duplex plug connector manufactured using 1.25 mm fully-ceramic ferrule technology. It belongs to the

[Contact Us](#)






## Jack (Socket) Panel Mount N Type RF Connectors / Coaxial Connectors

Jack (Socket) Panel Mount N Type RF Connectors / Coaxial Connectors are available at Mouser Electronics. Mouser offers inventory, pricing, & datasheets for Jack (Socket) Panel Mount N Type RF

[Contact Us](#)



## PXM7011/03S/ST/0507/SN , Bulgin Circular Connector, 3 Contacts,

Buy Bulgin Circular Connector, 3 Contacts, Cable, Socket, Female, IP68, PXM7011 Series PXM7011/03S/ST/0507/SN. Browse our latest Industrial Circular Connectors offers.

[Contact Us](#)

## Contact Us

---

For datasheets, pricing, or custom fiber access solutions, please visit:  
<https://frindel.es>